

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	126	electric\$4 with motor with antenna with processor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 10:44
S2	0	(determin\$3 or monitor \$3 or detect\$3 or sens \$3 or identif\$4 or indicat\$3) with operat \$5 with parameter with electric\$4 with motor with antenna with (micriprocessor or processor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 11:42
S3	0	(determin\$3 or monitor \$3 or detect\$3 or sens \$3 or identif\$4 or indicat\$3) with (perform\$4 or operat \$7) with parameter with electric\$4 with motor with antenna with (micriprocessor or processor or controller or CPU)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 10:48
S4	0	(determin\$3 or monitor \$3 or detect\$3 or sens \$3 or identif\$4 or indicat\$3) with (perform\$4 or operat \$7) with parameter with electric\$4 with motor with antenna same (micriprocessor or processor or controller or CPU)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 10:52

S5	0	(determin\$3 or monitor\$3 or detect\$3 or sens\$3 or identif\$4 or indicat\$3) with (perform\$4 or operat\$7) with parameter with electric\$4 with motor with (radio-frequency or radio adj frequency or antenna) same (microprocessor or processor or controller or CPU)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 10:53
S6	0	(determin\$3 or monitor\$3 or detect\$3 or sens\$3 or identif\$4 or indicat\$3) with (perform\$4 or operat\$7) with parameter with electric\$4 with motor with (radio-frequency or radio adj frequency or antenna) same (microprocessor or processor or controller or CPU)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 10:53
S7	0	(determin\$3 or monitor\$3 or detect\$3 or sens\$3 or identif\$4 or indicat\$3) with (perform\$4 or operat\$7) with parameter with electric\$4 with motor with (radio-frequency or radio adj frequency or antenna) and (microprocessor or processor or controller or CPU)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 10:53
S8	37	(determin\$3 or monitor\$3 or detect\$3 or sens\$3 or identif\$4 or indicat\$3) with (perform\$4 or operat\$7) with parameter and electric\$4 with motor with (radio-frequency or radio adj frequency or antenna) and (microprocessor or processor or controller or CPU)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 10:20

S9	0	(determin\$3 or monitor \$3 or detect\$3 or sens \$3 or identif\$4 or indicat\$3) with (perform\$4 or operat \$7) with parameter same electric\$4 with motor with (radio-frequency or radio adj frequency or antenna) and (microprocessor or processor or controller or CPU)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 10:54
S10	6	(determin\$3 or monitor \$3 or detect\$3 or sens \$3 or identif\$4 or indicat\$3) with (perform\$4 or operat \$7) with parameter with motor with (radio-frequency or radio adj frequency or antenna) and (microprocessor or processor or controller or CPU)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 10:57
S11	2	(determin\$3 or monitor \$3 or detect\$3 or sens \$3 or identif\$4 or indicat\$3) with (perform\$4 or operat \$7) with parameter with motor with (radio-frequency or radio adj frequency or antenna) with (microprocessor or processor or controller or CPU)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 10:56
S12	76	"5434509".uref.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 10:57
S13	0	"5434509".uref. and motor and natenna	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 10:57
S14	5	"5434509".uref. and motor and antenna	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 10:58

S15	5	"5434509".uref. and motor and antenna and arc\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 10:35
S16	2	"20050104616"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 11:06
S17	2	(computer or micriprocessor or processor or cpu or controller) with (determin\$3 or monitor \$3 or detect\$3 or sens \$3 or identif\$4 or indicat\$3) with (arc\$3 or fault or fail\$3 or error or defect or anomal\$3 or malfunction\$4 or problem) with electric \$4 with motor with antenna	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 11:10
S18	7	(computer or micriprocessor or processor or cpu or controller) with (determin\$3 or monitor \$3 or detect\$3 or sens \$3 or identif\$4 or indicat\$3) with (arc\$3 or fault or fail\$3 or error or defect or anomal\$3 or malfunction\$4 or problem) with electric \$4 with motor with (radio-frequenc\$3 or radio adj frequenc\$3 or antenna)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 16:48

S19	9	(computer or micriprocessor or processor or cpu or controller) with (determin\$3 or monitor \$3 or detect\$3 or sens \$3 or identif\$4 or indicat\$3) with (arc\$3 or fault or fail\$3 or error or defect or anomal\$3 or malfunction\$4 or problem) with electric \$4 with motor and (arc \$3 or fault or fail\$3 or error or defect or anomal\$3 or malfunction\$4 or problem) with (radio-freque\$3 or radio adj frequenc\$3 or antenna)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 11:14
S20	97	"5434509"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 11:19
S21	4	"5434509" and electric \$4 with motor and antenna	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 11:20
S22	2	("5434509").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/13 13:46
S23	43	(determin\$3 or monitor \$3 or detect\$3 or sens \$3 or identif\$4 or indicat\$3) with operat \$5 with parameter with (arc\$3 or fault or fail\$3 or error or defect or anomal\$3 or malfunction\$4 or problem) with electric \$4 with motor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 11:43

S24	0	(determin\$3 or monitor\$3 or detect\$3 or sens\$3 or identif\$4 or indicat\$3) with operat\$5 with parameter with (arc\$3 or fault or fail\$3 or error or defect or anomal\$3 or malfunction\$4 or problem) with electric\$4 with motor with antenna	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 11:43
S25	0	(determin\$3 or monitor\$3 or detect\$3 or sens\$3 or identif\$4 or indicat\$3) with operat\$5 with parameter with (arc\$3 or fault or fail\$3 or error or defect or anomal\$3 or malfunction\$4 or problem) with electric\$4 with motor and (radio-frequency or radio adj frequency)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 11:45
S26	0	(determin\$3 or monitor\$3 or detect\$3 or sens\$3 or identif\$4 or indicat\$3) with operat\$5 with parameter with (arc\$3 or fault or fail\$3 or error or defect or anomal\$3 or malfunction\$4 or problem) with electric\$4 with motor and (radio-frequency or radio with frequency)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 11:45
S28	7	(computer or micriprocessor or processor or cpu or controller) with (determin\$3 or monitor\$3 or detect\$3 or sens\$3 or identif\$4 or indicat\$3) with (arc\$3 or fault or fail\$3 or error or defect or anomal\$3 or malfunction\$4 or problem) with electric\$4 with motor with (operat\$4 or perform	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 16:54

		\$4) with parameter				
S29	2	("6014598").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/13 16:52
S30	38	(computer or micriprocessor or processor or cpu or controller) with (determin\$3 or monitor \$3 or detect\$3 or sens \$3 or identif\$4 or indicat\$3) with (arc\$3 or fault or fail\$3 or error or defect or anomal\$3 or malfunction\$4 or problem) with motor with (operat\$4 or perform\$4) with parameter and electric \$4 with motor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 16:55
S31	13	(computer or micriprocessor or processor or cpu or controller) with (determin\$3 or monitor \$3 or detect\$3 or sens \$3 or identif\$4 or indicat\$3) with (arc\$3 or fault or fail\$3 or error or defect or anomal\$3 or malfunction\$4 or problem) with motor with (operat\$4 or perform\$4) adj parameter and electric \$4 with motor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 16:57

S32	44	(determin\$3 or monitor\$3 or detect\$3 or sens\$3 or identif\$4 or indicat\$3) with (arc\$3 or fault or fail\$3 or error or defect or anomal\$3 or malfunction\$4 or problem) with motor with (operat\$4 or perform\$4) adj parameter and electric\$4 with motor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 16:57
S33	18	(determin\$3 or monitor\$3 or detect\$3 or sens\$3 or identif\$4 or indicat\$3) with (arc\$3 or fault or fail\$3 or error or defect or anomal\$3 or malfunction\$4 or problem) with electric\$4 with motor with (operat\$4 or perform\$4) adj parameter and electric\$4 with motor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 17:01
S34	2	("6297742").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/13 17:02
S35	1262	702/183.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 10:20
S36	5	(microprocessor or processor or controller or CPU) with (determin\$3 or monitor\$3 or detect\$3 or sens\$3 or identif\$4 or indicat\$3) with (perform\$4 or operat\$7) with parameter with electric\$4 with motor and (radio-frequency or radio adj frequency or antenna)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 10:21

S37	5	(microprocessor or processor or controller or CPU) with (determin\$3 or monitor\$3 or detect\$3 or sens\$3 or identif\$4 or indicat\$3) with (speed or load or torque or perform\$4 or operat\$7) with parameter with electric\$4 with motor and (radio-frequency or radio adj frequency or antenna)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 10:22
S38	217	(microprocessor or processor or controller or CPU) with (determin\$3 or monitor\$3 or detect\$3 or sens\$3 or identif\$4 or indicat\$3) with (speed or load or torque or perform\$4 or operat\$7) with electric\$4 with motor and (radio-frequency or radio adj frequency or antenna)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 10:23
S39	38	(microprocessor or processor or controller or CPU) with (determin\$3 or monitor\$3 or detect\$3 or sens\$3 or identif\$4 or indicat\$3) with (speed or load or torque or perform\$4 or operat\$7) with electric\$4 with motor with (radio-frequency or radio adj frequency or antenna)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 10:24

S40	10	(microprocessor or processor or controller or CPU) with (determin\$3 or monitor\$3 or detect\$3 or sens\$3 or identif\$4 or indicat\$3) with (speed or load or torque or perform\$4 or operat\$7) with electric\$4 with motor with (radio-frequency or radio adj frequency or antenna) and (arcing or fault or defect or fail\$3 or error or problem or malfunction\$4 or anomaly) with motor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 10:27
S41	11	(microprocessor or processor or controller or CPU) with (determin\$3 or monitor\$3 or detect\$3 or sens\$3 or identif\$4 or indicat\$3) with (speed or load or torque or perform\$4 or operat\$7) with electric\$4 with motor with (radio-frequency or radio with frequency or antenna) and (arcing or fault or defect or fail\$3 or error or problem or malfunction\$4 or anomaly) with motor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 10:28
S42	73	(microprocessor or processor or controller or CPU) with (determin\$3 or monitor\$3 or detect\$3 or sens\$3 or identif\$4 or indicat\$3) with (speed or load or torque or perform\$4 or operat\$7) with electric\$4 with motor and (radio-frequency or radio with frequency or antenna) and (arcing or fault or defect or fail\$3 or error or problem or malfunction\$4 or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 10:33

		anomaly) with motor				
S43	1	"324"/\$.cccls. and (microprocessor or processor or controller or CPU) with (determin\$3 or monitor\$3 or detect\$3 or sens\$3 or identif\$4 or indicat\$3) with (speed or load or torque or perform\$4 or operat\$7) with electric\$4 with motor and (radio-frequency or radio with frequency or antenna) and (arcing or fault or defect or fail\$3 or error or problem or malfunction\$4 or anomaly) with motor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 10:29
S44	8	(microprocessor or processor or controller or CPU) with (determin\$3 or monitor\$3 or detect\$3 or sens\$3 or identif\$4 or indicat\$3) with (speed or load or torque or perform\$4 or operat\$7) with electric\$4 with motor and (radio-frequency or radio with frequency or antenna) and arcing and (arcing or fault or defect or fail\$3 or error or problem or malfunction\$4 or anomaly) with motor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 11:09
S45	26	(microprocessor or processor or controller or CPU) with (determin\$3 or monitor\$3 or detect\$3 or sens\$3 or identif\$4 or indicat\$3) with (speed or load or torque or perform\$4 or operat\$7) with electric\$4 adj motor and (radio-frequency or radio with frequency or antenna) and (arcing or fault or defect or fail\$3 or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 10:34

		error or problem or malfunction\$4 or anomaly) with motor				
S46	76	"5434509".uref.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 10:35
S47	12	"5434509".uref. and electric\$4 adj motor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 10:40
S48	7	"5434509".uref. and electric\$4 adj motor with (load or speed or operat\$4 or perform \$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 10:36
S49	1	"5434509".uref. and electric\$4 adj motor with (load or speed or operat\$4 or perform \$4) and (microprocessor or processor or controller or CPU) and (radio-frequency or radio with frequency or antenna) and (arcing or fault or defect or fail \$3 or error or problem or malfunction\$4 or anomaly) with motor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 10:38
S50	1	"5434509".uref. and electric\$4 adj motor with (load or speed or operat\$4 or perform \$4) and (microprocessor or processor or controller or CPU) and (radio-frequency or radio with frequency or antenna)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 10:38
S51	24	"5434509".uref. and electric\$4 with motor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 10:40

S52	3	(monitor\$3 or detect \$3 or sens\$3 or identif \$4 or indicat\$3) with (radio-frequency or radio with frequency or antenna) with (arcing or fault or defect or fail\$3 or error or problem or malfunction\$4 or anomaly) with determin\$3 with (load or speed or torque or operat\$4 odr perform \$4) with electric\$4 with motor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 11:12
S53	10	(monitor\$3 or detect \$3 or sens\$3 or identif \$4 or indicat\$3) with (radio-frequency or radio with frequency or antenna) with (arcing or fault or defect or fail\$3 or error or problem or malfunction\$4 or anomaly) and determin \$3 with (load or speed or torque or operat\$4 odr perform\$4) with electric\$4 with motor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 11:28
S54	3	(monitor\$3 or detect \$3 or sens\$3 or identif \$4 or indicat\$3) with (radio-frequency or radio with frequency or antenna) with (arcing or fault or defect or fail\$3 or error or problem or malfunction\$4 or anomaly) and determin \$3 with (load or speed or torque or operat\$4 odr perform\$4) with electric\$4 with motor with (processor or microprocessor or microcontroller or cup or controller)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 11:22

S55	979	324/772.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 11:22
S56	380	702/58.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 11:23
S57	197	702/59.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 11:26
S58	659	702/60.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 11:28
S59	340	702/33.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 11:30
S60	35	(radio-frequency or radio with frequency or antenna) with (arcing or fault or defect or fail\$3 or error or problem or malfunction\$4 or anomaly) and (load or speed or torque or operat\$4 odr perform \$4) with electric\$4 with motor with (processor or microprocessor or microcontroller or cup or controller)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 11:30

S61	71	(radio-frequency or radio with frequency or antenna) same (arcing or fault or defect or fail\$3 or error or problem or malfunction\$4 or anomaly) and (load or speed or torque or operat\$4 odr perform \$4) with electric\$4 with motor with (processor or microprocessor or microcontroller or cup or controller)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 11:34
S62	355	702/34.cds.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 11:35
S63	2	(radio-frequency or radio with frequency or antenna) same (arcing or fault or defect or fail\$3 or error or problem or malfunction\$4 or anomaly) and (load or speed or torque or operat\$4 odr perform \$4) with electric\$4 with motor with (processor or microprocessor or microcontroller or cup or controller) and arcing with motor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 11:34
S64	439	702/35.cds.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 11:35
S65	13	monitor\$3 with electric \$4 with motor with (antenna or radio-frequency or radio with frequency) with (processor or microprocessor or microcontroller or controller or CPU)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 11:37

S66	14	monitor\$3 with electric \$4 with motor with (rf or antenna or radio-frequency or radio with frequency) with (processor or microprocessor or microcontroller or controller or CPU)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 11:39
S67	1	monitor\$3 with electric \$4 with motor with (rf or antenna or radio-frequency or radio with frequency) with (processor or microprocessor or microcontroller or controller or CPU) and arcing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 11:37
S68	311	electric\$4 with motor with (rf or antenna or radio-frequency or radio with frequency) with (processor or microprocessor or microcontroller or controller or CPU)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 11:39
S69	14	electric\$4 with motor with (arcing or fault or defect or error or problem or anomaly or malfunction\$4 or fail \$4) with (rf or antenna or radio-frequency or radio with frequency) with (processor or microprocessor or microcontroller or controller or CPU)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 11:43
S70	2	("6138078").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/14 12:10
S74	469	340/650.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 12:20

S75	222	340/658.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 12:21
S76	5116	318/254.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 12:21
S77	446	318/806.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 12:57
S78	283	324/520.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 12:58
S79	404	324/525.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 13:03
S81	404	324/536.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 13:06
S82	1057	324/522.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 13:05
S83	225	324/521.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 13:05
S84	1699	361/111.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 13:07
S85	302	361/113.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/14 13:07

S86	4932	wireless with radio with frequency with antenna	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/01 15:13
S87	5	wireless with radio with frequency with antenna with electric \$4 with motor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/01 15:13
S88	525	arc\$3 adj event	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/01 15:54
S89	3	arc\$3 adj event with electric\$3 with motor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/01 15:54
S90	2166	arc\$3 with electric\$3 with motor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/01 15:57
S91	18	arc\$3 with event with electric\$3 with motor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/01 15:58

3/ 2/ 08 10:59:03 AM

C:\Documents and Settings\CTsai\My Documents\ EAST\ Workspaces\ 10501377.wsp